



Rental LED Display

Hard Connection




LED Display Module



Module Size: 250x250mm

LED: SMD1515/SMD1921/SMD2020



Pixel Pitch: P2.604/P2.976/P3.91/P4.81

Outdoor Brightness: 4000-4500 cd

Indoor Brightness: 600-800 cd

Product Details



Handle




Power socket



Lock catch



Network cable jack



Exterior



Inside

Curved Cabinets



Curved lock



Spliced curved cabinet
Purchase separately



Seamless Splicing



The connection line is all integrated in the cabinet in the installation does not need to be connected, only need to plug the cabinet in accordance with the interface can reduce the bondage of the line, installation is also faster, the beauty increased a lot.



Maintenance Mode



Rear Maintain

Installation Structure (Factory Sale)



Style ①



Style ②



Style ③

Specification



Specifications

Parameters

Pixel Pitch	P2.604/P2.976/P3.91/P4.81
Module Size	250x250mm
Cabinet Size	500x500/500x1000mm
500x500mm Cabinet Weight	7.0 kg
500x1000mm Cabinet Weight	13.5 kg
High Refresh	3840 Hz



Specifications

Applicable Environment

Indoor Brightness

Outdoor Brightness

Waterproof Level

Cabinet Material

Standard Fittings

Parameters

Indoor/Outdoor

600-800 cd

4000-4500 cd

IP54/IP65

Die cast aluminum

Power airplug, signal airplug

Production Line



Panasonic MSR can affix an average of **45,000** lamp beads per hour.



The automatic printing machine can brush solder paste an average of **300m²** per day.




Reflow soldering is used to heat the module.

Production Line



Samsung S2 can affix an average of **80,000** beads per hour.




Small spacing automatic screw machine can make an average of **2000** screws per hour.



Conformal coating can be sprayed with an average of **100m²** per day.

Aging Test



Package and Delivery



Packing List



Video Processor



Main Signal Cables



Main Power Cables



Screws




Signal Cables
Between Panels



Power Cables
Between Panels



Connector




Spare Parts

Actual Project




Pixel Pitch: P3.91 mm
Screen Size: 6.5x2m
Installation Site: USA



Pixel Pitch: P1.5 mm
Screen Size: 6x3m
Installation Site: Europe



Pixel Pitch: P3.91 mm
Screen Size: 4x2m
Installation Site: North America



Pixel Pitch: P2.976 mm
Screen Size: 28 sqm
Installation Site: South America

Specification



Uhled is a high-tech enterprise integrating research and development, production and sales. The company was founded in 2015, with a construction area of **5000 square meters** and an annual production of **120,000 square meters**. Our company's main products: indoor and outdoor LED HD display, rental screen, shelf screen, led poster, transparent screen, irregular screen and various scene application display. We have a strong pre-sales solutions and after-sales service technical support, a total of **8 project engineers**, can do overseas project support. We pursue "survival by quality, reputation by service".



THANK YOU



+86 18138865912



info@uhled.com



www.uhled.com



5th Floor, Building 2, Science and Technology Innovation Workshop, Shenzhen

